


Oh!_FL65



Floor Lamp | 220-240 V | 1xE27
15162



Technical data	
Type	Floor Lamp
Installation position	Floor
Installation environment	Outdoor
Lamp cap	1 x E27 Max 46W
Frequency	50-60 Hz
Optics	General Lighting
Light emission direction	upward
Safety class	2
IP	IP65
IK	IK10
Glow wire test	650°
Direct mounting on normally flammable surfaces	Yes
CE	Yes
ETL	No
Fire Rated (BS 476 PT21 compliant)	No
Directional	No
Tilting	No
Walk-over	No
Drive-over	No
Cable included	Yes
Cable length	5 m
Electric socket	Type F
Resin potting	No
Net weight	4.200 Kg

Finishing diffuser	
Material	PE
Colour	neutral

Finishing mounting frame	
Material	PE
Colour	white



Floor Lamp | 220-240 V | 1xE27
15162

Single emission floor lamp for outdoor application. Compatibility: LED lamp, halogen 46 W, compact fluo 30 W; lamp cap 1xE27.


The diffuser is made of pe; the mounting frame is made of pe, with a white finish. The ingress protection degree is IP65; the total weight is of 4.200 kg.

. The power supply cable is included and features.








The device features protection class II and can be floor-mounted with an outer casing, code 14930(for concrete or masonry).

Compliant with the EN 60598-1 standard and its specific provisions.

Illuminotechnical Features	
Light Output Ratio (LOR)	77 %
Source lumens	700 lm
Delivered lumens	1480 lm
Consumption	30 W
Luminaire efficacy	63 lm/W
Colour rendering index	100 Ra
Junction temperature (lighting fixture)	80
Standard Operating Ambient Temperature	25
OPTICAL	
Light distribution simmetry	Symmetrical
C0/C180 optics	180°



Oh!_FL65 | Floor Lamp | Accessories
15162

		Outer casing - outer casing for installation on ground or on concrete	<div>Code</div> <div>14930</div>
		Pegs installation position: land,Cover material: pc	<div>Code</div> <div>14931</div>
		anti-theft - anti-theft ground fixing bracket	<div>Code</div> <div>14081</div>
		Connector	<div>Code</div> <div>14992</div>