

Ceiling Lights | 220-240 V | 1xE27 **15181**





Ø 280

Technical data		
Туре	Surface	
Installation position	Wall lights - Ceiling	
Lamp cap	1 x E27 Max 30W	
Frequency	50-60 Hz	
Optics	General Lighting	
Light emission direction	frontal	
Safety class	2	
IP	IP65	
IK	IK10	
Glow wire test	650°	
Direct mounting on normally flammable surfaces	Yes	
CE	Yes	
ETL	No	
Fire Rated (BS 476 PT21 compliant)	No	
Motion sensor	No	
Directional	No	
Tilting	No	
Walk-over	No	
Drive-over	No	
Cable included	No	
Resin potting	No	
Net weight	1.050 Kg	

Finishing diffuser				
Material	PE			
Colour	neutral			
Finishing mou	nting frame			
Finishing mou				
Finishing mou	nting frame PE			



Ceiling Lights | 220-240 V | 1xE27 15181

Double emission ceiling lights Compatibility: LED lamp, compact fluo 14 W, halogen 30 W; lamp cap 1xE27.

The diffuser is made of pe; the mounting frame is made of pe, with a white finish. The ingress protection degree is IP65; the total weight is of 1.050 kg.

The device features protection class II and can be wall lights or ceilingmounted.

Compliant with the EN 60598-1 standard and its specific provisions.

Illuminotechnical Features	
Light Output Ratio (LOR)	77 %
Source lumens	405 lm
Delivered lumens	623 lm
Consumption	14 W
Luminaire efficacy	57 lm/W
Colour rendering index	100 Ra
Junction temperature (lighting fixture)	80
Standard Operating Ambient Temperature	25

OPTICAL	
Light distribution simmetry	Symmetrical
C0/C180 optics	180°

