

# **Product Datasheet**

www.1-light.eu

## New 2020 Edition 3>Track Spots

# 65654CTT/W/W



40W COB LED track spot with, ideal for shops and showrooms.

Complete with 900mA driver.

Complies with standard EN60598-1 and any other specific standards.









Downloads









Dimensions



#### Related items







40003A/W

#### **Physical Specification**

New 2020 Edition 3
Track Spots
65654CTT/W/W
White
Aluminium
Circular
141mm

Diameter	100mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
Fitting	
Input Type	Constant Current
Input Current	900mA
Voltage	42V
Power(Watts)	38W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

Gear


**LED Brand** 

LED Number

Sanan

1

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	14,4-38W
Power Factor	0,9
Constant Current	Yes
900mA	16-42V
IP Rating	IP20
Safety Class	
Dimmable	Yes
Housing Material	Plastic
Output Terminal	Connector
Brand	ALLOOKING
Illumination Data	
Illumination Data  Colour Temperature	3000K
	3000K 3600lm
Colour Temperature	
Colour Temperature  Lumen Output	3600lm
Colour Temperature  Lumen Output  Light Efficiency	3600lm 90lm/W
Colour Temperature  Lumen Output  Light Efficiency  CRI	3600lm 90lm/W 90
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle	3600lm 90lm/W 90
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle	3600lm 90lm/W 90
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram	3600lm 90lm/W 90
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram	3600lm 90lm/W 90
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram	3600lm 90lm/W 90 38°
Colour Temperature  Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram  Packing Info  Pcs/Carton	3600lm 90lm/W 90 38°  10



### Certification & Warranty

Warranty 3 Years
Weee Directive Yes



