

Product Datasheet

www.1-light.eu

New 2020 Edition 3>Track Spots

65654CT/W/C



40W COB LED track spot with, ideal for shops and showrooms.

Complete with 1050mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Related items








40003A/W

Physical Specification

Item Group	New 2020 Edition 3
Family	Track Spots
Order Code	65654CT/W/C
Colour	White
Material	Aluminium
Shape	Circular
Height	141mm

Diameter	100mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions
ectrical Characteristics	
	Duille la
Gear	Built In
Fitting . Driver	
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	40W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	1050mA
Voltage	38V
Power(Watts)	37,3W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Sanan
LED Number	1
Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	31,5-39,9W
Power Factor	0,9
Constant Current	Yes
1050mA	30-38V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	KGP
Illumination Data Colour Temperature	4000K
	4000K 3600lm
Colour Temperature	
Colour Temperature Lumen Output	3600lm
Colour Temperature Lumen Output Light Efficiency	3600lm 90lm/W
Colour Temperature Lumen Output Light Efficiency CRI	3600lm 90lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	3600lm 90lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	3600lm 90lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	3600lm 90lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Pcs/Carton	3600lm 90lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Pcs/Carton Barcode	3600lm 90lm/W 90 38° 10 5291889067726
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Pcs/Carton	3600lm 90lm/W 90 38°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Packing Info Pcs/Carton Barcode	3600lm 90lm/W 90 38° 10 5291889067726



Certification & Warranty

Warranty	3 Years
Weee Directive	Yes



