

www.1-light.eu

New 2020 Edition 3>Track Spots

65656CT/W/W



24W SMD LED track spot with, ideal for shops and showrooms.

Complete with 700mA driver.

Complies with standard EN60598-1 and any other specific standards.









Downloads










Dimensions



Related items







40003A/W

Physical Specification


Item Group	New 2020 Edition 3
Family	Track Spots
Order Code	65656CT/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	71mm

Diameter	105mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	24W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	34V
Safety Class	\tag{\text{III}}
Power(Watts)	23,8W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 5050
LED Brand	Osram
LED Number	4

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	21-29,4W
Power Factor	0,9
Constant Current	Yes
700mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	KEGU
Ilumination Data	
	3000K
Colour Temperature	3000K
Colour Temperature Lumen Output	1920lm
Colour Temperature Lumen Output Light Efficiency	1920lm 80lm/W
Colour Temperature Lumen Output	1920lm
Colour Temperature Lumen Output Light Efficiency	1920lm 80lm/W
Colour Temperature Lumen Output Light Efficiency CRI	1920lm 80lm/W 90
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle	1920lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	1920lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light	1920lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram	1920lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light	1920lm 80lm/W 90 40°
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light	1920lm 80lm/W 90 40° Yes
Colour Temperature Lumen Output Light Efficiency CRI Beam Angle Illumination Diagram Dark Light Packing Info Pcs/Carton	1920lm 80lm/W 90 40° Yes



Certification & Warranty

Warranty	3 Years
Weee Directive	Yes



