



19 Wall Recessed & Inground>Inground Decking Sets


69002A/W



LED inground for decking and stairs, set of 6pcs with independent plug + 1 meter cable.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification



Item Group	19 Wall Recessed & Inground
Family	Inground Decking Sets
Order Code	69002A/W
Colour	Stainless Steel
Material	Stainless Steel 316
Shape	Circular
Height	40mm
Diameter	35mm
Cutout Hole Diameter	30mm
Inground	Yes
Depth Required	60mm
Indoor	Yes

Outdoor
Adjustable


Yes
No

Electrical Characteristics

Gear
Fitting + Driver
Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
Cable Length
F Mark

External-Included
220-240V
Yes
Yes

6x0,5W
IP67
LED built in
No
2m/2m



Fitting
Input Type
Input Voltage
Safety Class
Power(Watts)
IP Rating
Light Source
LED Number

Constant Voltage
12V DC

3W
IP67
LED built in
6

Gear
Gear Type
Input Voltage
50 Hz

Led Driver
220-240V
Yes

60 Hz
Power(Watts)
Power Factor
Constant Voltage
12 V
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal

Yes
6W
0,5
Yes
Yes
IP20

No
Plastic
Connector

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
Illumination Diagram


3000K
40lm/LED
80lm/W


Packing Info

Pcs/Carton
Barcode
HS Code

6
5291889065869
9405409900

Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to
one light!

