


02 Recessed Spots Fixed LED>The COB Dark Light Range Interchangeable Reflector

10112K/B/W



12W COB LED Dark light recessed spot.

Reflector must be ordered separately.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



050280/B



050280/BS



050280/W



89015A

Related items



89015AT

Physical Specification



Item Group

02 Recessed Spots Fixed LED

|                      |  |
|----------------------|--|
| Family               | The COB Dark Light Range Interchangeable Reflector |
| Order Code           | 10112K/B/W   |
| Colour               | Black  |
| Material             | Die Cast   |
| Shape                | Circular   |
| Height               | 102mm  |
| Diameter             | 73mm   |
| Cutout Hole Diameter | 67mm   |
| Recessed Ceiling     | Yes  |
| Depth Required       | 120mm  |
| Indoor               | Yes  |
| Adjustable           | No   |


## Electrical Characteristics

### Fitting

|               |   |
|---------------|---|
| Input Type    | Constant Current  |
| Input Current | 700mA   |
| Voltage       | 18V   |
| Safety Class  |  |
| Power(Watts)  | 12W   |
| IP Rating     | IP20  |
| Light Source  | LED built in  |
| LED Type      | COB   |
| LED Brand     | Bridgelux   |
| Cable Length  | 40cm  |
| F Mark        |  |

## Illumination Data

|                    |       |
|--------------------|-------|
| Colour Temperature | 3000K |
|--------------------|-------|

|                      |   |
|----------------------|---|
| Lumen Output         | 1100lm  |
| Light Efficiency     | 91,67lm/W   |
| CRI                  | 90  |
| Beam Angle           | 38°   |
| Illumination Diagram |  |
| Dark Light           | Yes   |

#### Packing Info

|            |               |
|------------|---------------|
| Box Weight | 0.286kg       |
| Pcs/Carton | 50            |
| Barcode    | 5291889072089 |
| HS Code    | 9405413990    |

#### Certification & Warranty

|          |         |
|----------|---------|
| Warranty | 5 years |
|----------|---------|

switch to  
**one light!**

**one**  
LIGHT

