

Product Datasheet

New 2020 Edition 2>Wall and Ceiling LED

12106B/W/W



6W COB LED surface Spot with dark chrome reflector.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads			
τζζε ζ	IES	$^{\circ}$	cε

Dimensions

49mm 49mm	
1	-
	82mm
	_

Physical Specification

Item Group	New 2020 Edition 2
Family	Wall and Ceiling LED
Order Code	12106B/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	49mm

Width	49mm
Height	82mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No



Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Co
Input Current	120mA
Voltage	40V
Safety Class	
Power(Watts)	4,8W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree
F Mark	F

Constant Current
20mA
łov
4,8W
P20
ED built in
COB
Cree
F

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes



Power(Watts)	4,8-8W
Power Factor	0,9
Constant Current	Yes
Output	120mA
Voltage Range	40-67V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud

Illumination Data

Colour Temperature	3000K
Lumen Output	480lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Packing Info

Pcs/Carton	60
Barcode	5291889064077
HS Code	9405409900

Energy Label





Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to one light!



