




# **Product Datasheet**

New 2020 Edition 2>Wall and Ceiling LED

## 12108XA/W/W



Surface dimmable cylinder with COB LED.

Complete with 350mA constant current dimmable driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



#### **Physical Specification**

| Item Group      | New 2020 Edition 2   |
|-----------------|----------------------|
| Family          | Wall and Ceiling LED |
| Order Code      | 12108XA/W/W          |
| Colour          | White                |
| Material        | Aluminium            |
| Shape           | Rectangular          |
| Length          | 80mm                 |
| Width           | 80mm                 |
| Height          | 100mm                |
| Surface Ceiling | Yes                  |
| Indoor          | Yes                  |
| Adjustable      | No                   |

| Gear             | Built In         |
|------------------|------------------|
|                  |                  |
| Fitting + Driver |                  |
| Input Voltage    | 220-240V         |
| 50 Hz            | Yes              |
| 60 Hz            | Yes              |
| Safety Class     |                  |
| Power(Watts)     | 8W               |
| IP Rating        | IP20             |
| Light Source     | LED built in     |
| Dimmable         | Yes              |
| Dimmer type      | Triac            |
| F Mark           | F                |
|                  |                  |
| Fitting          |                  |
| Input Type       | Constant Current |
| Input Current    | 350mA            |
| Voltage          | 20V              |
| Safety Class     |                  |
| Power(Watts)     | 7W               |
| IP Rating        | IP20             |
| Light Source     | LED built in     |
| LED Type         | COB              |
| LED Brand        | Citizen          |
|                  |                  |
| Gear             |                  |
| Gear Type        | Led Driver       |
| Input Voltage    | 220-240V         |
| 50 Hz            | Yes              |
| 60 Hz            | Yes              |
|                  |                  |

| Power(Watts)  | 4,2-8,4W              |
|---|-----------------------|
| Power Factor  | 0,9                   |
| Constant Current  | Yes                   |
| 350mA   | 12-24V                |
| IP Rating   | IP20                  |
| Safety Class  |                       |
| Housing Material  | Plastic               |
| Brand   | AlDimming             |
|   |                       |
| Ilumination Data  |                       |
|   |                       |
|   |                       |
| Colour Temperature  | 3000K                 |
| Colour Temperature  Lumen Output                                      | 3000K<br>640lm        |
|   |                       |
| Lumen Output  | 640lm                 |
| Lumen Output Light Efficiency   | 640lm<br>80lm/W       |
| Lumen Output Light Efficiency CRI                                     | 640lm<br>80lm/W<br>90 |
| Lumen Output  Light Efficiency  CRI  Beam Angle                       | 640lm<br>80lm/W<br>90 |
| Lumen Output  Light Efficiency  CRI  Beam Angle                       | 640lm<br>80lm/W<br>90 |
| Lumen Output  Light Efficiency  CRI  Beam Angle  Illumination Diagram | 640lm<br>80lm/W<br>90 |


5291889064718

9405409900

### Energy Label

Barcode

HS Code



#### Certification & Warranty

| Warranty       | 3 Years |
|----------------|---------|
| Weee Directive | Yes     |



