

New 2022 Edition 3>Wall and Ceiling LED

## 12110H/B/W



10W Dark light surface ceiling spot, IP20.

Complete with 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	New 2022 Edition 3
Family	Wall and Ceiling LED
Order Code	12110H/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	83mm
Diameter	72mm
Recessed Ceiling	Yes
Indoor	Yes
Adjustable	No

## Gear

## External-Included

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

10W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

## Fitting

Input Type

Constant Current

Input Current

700mA

Voltage

12V

Safety Class



Power(Watts)

8,4W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 3535

LED Brand

Bridgelux

LED Number

4

F Mark



## Gear

Gear Type

Led Driver

Input Voltage


220-240V

50 Hz


Yes

60 Hz

Yes

Power(Watts)	7,7-11,9W
Power Factor	0,85
Constant Current	Yes
700mA	11-17V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	-20°C...+45°C
Operating Temp	75°C
Brand	Eaglerise
Protection	Over Load Protection, Over Voltage Protection, Short circuit Protection

### Illumination Data

Colour Temperature	3000K
Lumen Output	700lm
Light Efficiency	70lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

### Packing Info

Pcs/Carton	30
Barcode	5291889074687
HS Code	9405413990

### Certification & Warranty

switch to  
**one light!**

one  
LIGHT

