



Product Datasheet

New 2019 Edition 2>Wall & Ceiling LED

12120Z/W/W



20W COB LED cylinder, ideal for residential and commercial illumination.

Supplied with Black & Brass reflectors.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.













Downloads







Dimensions



Gallery




Physical Specification

Fitting
New 2019 Edition 2
Wall & Ceiling LED
12120Z/W/W
White
Die Cast+Plastic
Circular

Height	115mm
Diameter	94mm
Surface Ceiling	Yes
Indoor	Yes
lectrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fittie -	
Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	37,2V
Power(Watts)	18,6W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree
Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	12,5-21,5W
Power Factor	0,9
Constant Current	Yes
500mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Ilumination Data	
Colour Temperature	3000K
Lumen Output	1600lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	45°
Illumination Diagram	
Dark Light	Yes
Packing Info	
Box Length	10,5cm
Box Width	10,5cm
Box Height	17,5cm
Pcs/Carton	24
Barcode	5291889059073
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Wee Directive	Yes



