

13 Wall & Ceiling LED > LED Fashion Cylinders

12122C/B/W



22W COB LED Cylinder, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	LED Fashion Cylinders
Order Code	12122C/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	100mm
Diameter	100mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

22W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

500mA

Voltage

39,4V

Power(Watts)

19,7W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Bridgelux

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz


Yes

Power(Watts)


15-21W

Power Factor

0,95

Constant Current	Yes
500mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Kegu

Illumination Data

Colour Temperature	3000K
Lumen Output	1500lm
Light Efficiency	68,18lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Packing Info

Box Length	14,5cm
Box Width	14cm
Box Height	11cm
Box Weight	0.655kg
Pcs/Carton	20
Barcode	5291889059370
HS Code	9405413990

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

