one LIGHT

New 2020 Edition 2>Wall and Ceiling LED

12208XA/W/W

2 x 8W Surface dimmable cylinder with COB LED.

Complete with 350mA constant current dimmable driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI TRIAC DIMMABLE CE

Downloads

IES

Dimensions

80mm 150mm 100mm

Physical Specification

Item Group	New 2020 Edition 2
Family	Wall and Ceiling LED
Order Code	12208XA/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	150mm
Width	80mm
Height	100mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⏚
Power(Watts)	2x8W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
F Mark	▽F

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	42V
Safety Class	◇III
Power(Watts)	14,7W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Citizen
LED Number	2

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz	Yes
Power(Watts)	8,75-14,7W
Power Factor	0,9
Constant Current	Yes
350mA	25-42V
IP Rating	IP20
Safety Class	
Housing Material	Plastic
Brand	AIDimming

Illumination Data

Colour Temperature	3000K
Lumen Output	2x640lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	

Packing Info

Pcs/Carton	24
Barcode	5291889064725
HS Code	9405409900

Energy Label

one
LIGHT

Warranty	3 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT