

www.1-light.eu

New 2021 Edition 2>Office & Kitchen

36002/W/C



60W floor stand Dimmable LED lighting fitting with EU plug.

Complete with touch switch.
Supplied with 2x700mA drivers.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Gallery




Physical Specification

New 2021 Edition 2
Office & Kitchen
36002/W/C
White
Aluminium
Rectangular
325mm

Width	665mm
Height	2000mm
Surface Floor/Ground	Yes
Indoor	Yes
Adjustable	No
lectrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	60W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	36V Up 33V Down
Power(Watts)	25,2W Up 23,1W Down
IP Rating	IP20
Light Source	LED built in
LED Brand	Jufei
Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	2X30W
Power Factor	0,9
Constant Current	Yes
700mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Lifud
Illumination Data	
Illumination Data Colour Temperature	4000K
	4000K 8000lm
Colour Temperature	
Colour Temperature Lumen Output	8000lm
Colour Temperature Lumen Output Light Efficiency	8000lm 133,33lm/W
Colour Temperature Lumen Output Light Efficiency CRI	8000lm 133,33lm/VV 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram	8000lm 133,33lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram	8000lm 133,33lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram UGR	8000lm 133,33lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram UGR	8000lm 133,33lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram UGR	8000lm 133,33lm/W 80 19
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram UGR Packing Info Pcs/Carton	8000lm 133,33lm/W 80 19
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram UGR Packing Info Pcs/Carton Barcode	8000lm 133,33lm/W 80 19 1 5291889070146



Certification & Warranty

Warranty	3 Years
Weee Directive	Yes



