

New 2020 Edition 2>Wall and Ceiling LED

65142/W/W



3W COB LED bedside adjustable fitting with aluminium shade ideal for room hotel installation, IP20.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

| | |
|--------------|----------------------|
| Item Group | New 2020 Edition 2 |
| Family | Wall and Ceiling LED |
| Order Code | 65142/W/W |
| Colour | White |
| Material | Aluminium |
| Surface Wall | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |

Electrical Characteristics

| | |
|------|----------|
| Gear | Built In |
|------|----------|

Fitting + Driver

| | |
|---------------|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 3W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |


Fitting

| | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 700mA |
| Voltage | 4V |
| Safety Class |  |
| Power(Watts) | 2,8W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Philips |

Gear

| | |
|------------------|------------|
| Gear Type | Led Driver |
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 1,6-3W |
| Power Factor | 0,5 |
| Constant Current | Yes |
| 700mA | 2,2-4,2v |

| |
|--------------|
| IP Rating |
| Safety Class |
| Dimmable |
| Brand |

| |
|---|
| IP20 |
|  |
| No |
| Eaglerise |

Illumination Data

| |
|----------------------|
| Colour Temperature |
| Lumen Output |
| Light Efficiency |
| CRI |
| Beam Angle |
| Illumination Diagram |


| |
|---|
| 3000K |
| 160lm |
| 53,33lm/W |
| 80 |
| 36° |
|  |

Packing Info

| |
|------------|
| Pcs/Carton |
| Barcode |
| HS Code |

| |
|---------------|
| 12 |
| 5291889064367 |
| 9405409900 |

Energy Label



Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

