

Product Datasheet

www.1-light.eu

New 2019 Edition 2>Track Spots

65614NT/W/C



CE

42W track spot with COB LED, ideal for shops and showrooms.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Dimensions



Physical Specification

Downloads

<u>ن</u>ې

| Product Type | Fitting |
|--------------|--------------------|
| Item Group | New 2019 Edition 2 |
| Family | Track Spots |
| Order Code | 65614NT/W/C |
| Colour | White |
| Material | Aluminium |
| Shape | Circular |

| Height | 128mm |
|---------------|--------------|
| Diameter | 100mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |



| Gear | Built In |
|------------------|------------------|
| | |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | |
| Power(Watts) | 42W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| | |
| Fitting | |
| Input Type | Constant Current |
| Input Current | 1050mA |
| Voltage | 38V |
| Safety Class | |
| Power(Watts) | 40W |
| IP Rating | IP20 |

Light Source

LED Type

LED Brand

| Gear Type | Led Driver |
|---------------|------------|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 35-42W |
| Power Factor | 0,9 |
| | |

LED built in

COB

Sanan



| Constant Current | Yes |
|------------------|-----------|
| 1050mA | 33-40V |
| IP Rating | IP20 |
| Safety Class | |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Connector |
| | |


Illumination Data

| Colour Temperature | 4000K |
|----------------------|-----------|
| Lumen Output | 3500lm |
| Light Efficiency | 83,33lm/W |
| CRI | 80 |
| Beam Angle | 38° |
| Illumination Diagram | |

Packing Info

| Box Length | 25cm |
|------------|---------------|
| Box Width | 15cm |
| Box Height | 10,5cm |
| Pcs/Carton | 10 |
| Barcode | 5291889057949 |
| HS Code | 9405409900 |





Certification & Warranty

| Warranty | 2 Years |
|---------------|---------|
| Wee Directive | Yes |

switch to one light!



