

14 Wall & Ceiling LED>The Retro Opal Range Die cast + PC

**67424A/W/W**



9W LED wall light, IP54, ideal for both indoor and outdoor installation.

Complete with 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



#### Downloads



#### Dimensions



#### Gallery






#### Physical Specification

Item Group	14 Wall & Ceiling LED
Family	The Retro Opal Range Die cast + PC
Order Code	67424A/W/W
Colour	White
Material	Die Cast
Diffuser Material	PC
Shape	Rectangular

Length	160mm
Width	160mm
Height	65mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No


## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	9W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	


Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	24V
Safety Class	
Power(Watts)	8,4W
IP Rating	IP54
Light Source	LED built in

LED Type	SMD 3528
LED Brand	Edison
F Mark	

## Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4,2-8,4W
Power Factor	0,5
Constant Current	Yes
350mA	12-24V
IP Rating	IP20
Safety Class	
Manufacturer	Eaglerise
Protection	0

## Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	66,67lm/W
CRI	80
Illumination Diagram	

## Packing Info

Box Length	18cm
Box Width	7,5cm
Box Height	18cm
Box Weight	0,9Kg

Pcs/Carton

12


Barcode

5291889053347

HS Code

9405409900

## Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

