



Product Datasheet

13 Wall & Ceiling LED>The Backlight Wall Range Aluminium

67466B/B/W



6W LED wall surface light IP20.

Complete 300mA driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Physical Specification

Family Order Code The Backlight Wall Range Aluminium 67466B/B/W	
Order Code 67466B/B/W	
Colour	
Material Aluminium	
Shape	
Length 200mm	
Width 100mm	
Height 80mm	
Surface Wall Yes	
Indoor	
Adjustable	

Gear Built In Fitting + Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Safety Class Power(Watts) 6W IP Rating IP20 **Light Source** LED built in Dimmable No F F Mark Fitting Input Type **Constant Current** Input Current 300mA 18V Voltage (III Safety Class Power(Watts) 5,4W IP Rating IP65 Light Source LED built in SMD 2835 LED Type **LED Brand** Edison F Mark Gear Gear Type Led Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes

Power(Watts)	3,6-6W
Power Factor	0,5
Constant Current	Yes
300mA	12-20V
IP Rating	IP20
Safety Class	
Housing Material	Plastic
Brand	Eaglerise
Protection	0
Illumination Data	
Colour Temperature	3000K
Lumen Output	400lm
Light Efficiency	66,67lm/W
CRI	80
Illumination Diagram	
Packing Info	
Box Weight	0.816kg
Pcs/Carton	12
Barcode	5291889062837
HS Code	9405409900

Certification & Warranty

Warranty

2 Years

Yes

Weee Directive

switch to one light!

