



Product Datasheet

New 2023 Edition 2>Wall & Ceiling LED

67526B2/AN/W



2x10W Wall light, IP65.

Complete with 500mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



Physical Specification

Item Group	New 2023 Edition 2
Family	Wall & Ceiling LED
Order Code	67526B2/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	380mm
Width	76mm
Height	66mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Adjustable	No
IK Rating	7
Floatrical Charactaristics	
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x10W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	34,8V
Power(Watts)	17,4W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 3030
LED Brand	Osram
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz	Yes
Power(Watts)	14-21W
Power Factor	0,9
Constant Current	Yes
500mA	28-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Eaglerise
Protection	0
Ilumination Data	
Ilumination Data	
Ilumination Data Colour Temperature	3000K
	3000K 1200lm
Colour Temperature	
Colour Temperature Lumen Output	1200lm
Colour Temperature Lumen Output Light Efficiency	1200lm 120lm/W
Colour Temperature Lumen Output Light Efficiency CRI	1200lm 120lm/W
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram	1200lm 120lm/W
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram	1200lm 120lm/W
Colour Temperature Lumen Output Light Efficiency CRI	1200lm 120lm/W
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram	1200lm 120lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram Packing Info Pcs/Carton	1200lm 120lm/W 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram Packing Info Pcs/Carton Barcode	1200lm 120lm/W 80 6 5291889075790

Certification & Warranty

switch to one light!

