

19 Wall Recessed & Inground>The Inground Mini Series Natural Aluminium

69042/AL/W



1W COB LED inground, IP67, aluminium, for path illumination.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads




Dimensions



Must be ordered separately



89004



89004T

Physical Specification

Item Group

19 Wall Recessed & Inground

Family

The Inground Mini Series Natural Aluminium

Order Code

69042/AL/W

Colour

Aluminium

Material

Natural Aluminium



Diffuser Material

Glass

Shape	Circular
Height	53mm
Diameter	37mm
Cutout Hole Diameter	30mm decking 35mm concrete
Inground	Yes
Depth Required	80mm deck 95mm+300mm drainage Concrete
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	3,1V
Safety Class	
Power(Watts)	1W
IP Rating	IP67
Light Source	LED built in
LED Type	SMD
LED Brand	Cree
LED Number	1
Cable Length	200cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	80lm
Light Efficiency	80lm/W

CRI

85

Illumination Diagram



Packing Info

Box Length

6,5cm

Box Width

5cm

Box Height

10,5cm

Box Weight

0,188Kg

Pcs/Carton

50


Barcode

5291889045243

HS Code

9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Average Lifetime

50000Hours

Weee Directive

Yes

switch to
one light!

one
LIGHT

