



# **Product Datasheet**

New 2019 Edition 2>LED Strips & Profiles

7813L/W



Flexible LED light strip, with SMD2835 LEDs, 60LEDs/meter, 3W/meter.Supplied in 30 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (6-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



#### Downloads







#### Dimensions

Cut every 10cm (6-LED segment)

#### Gallery



#### **Physical Specification**

Product Type	Fitting
Item Group	New 2019 Edition 2
Family	LED Strips & Profiles
Order Code	7813L/W
Shape	Rectangular
Length	30m
Width	10mm

Inground	Yes
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes

#### **Electrical Characteristics**

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	TII >
Power(Watts)	3W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Refond
LED Number	60Leds/m


# Illumination Data

Colour Temperature	3000K
Lumen Output	240lm/m
Light Efficiency	80lm/W
CRI	80
Illumination Diagram	

# Packing Info

Box Length	43cm
Box Width	43cm
Box Height	2cm
Pcs/Carton	20

# Energy Label



### Certification & Warranty

Warranty 3 Years

Wee Directive Yes

# switch to one light!

