

New 2019 Edition 2>LED Strips & Profiles

7820V/C



Vertical light Flexible LED light strip, with SMD3014 LEDs, 60LEDs/meter, 4,8W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (6-LED segment).

Requires 24V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Related items



20030

Physical Specification

Product Type

Fitting


Item Group	New 2019 Edition 2
Family	LED Strips & Profiles
Order Code	7820V/C
Shape	Rectangular
Length	5m
Width	8mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	4,8W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3014
LED Brand	Refond
LED Number	60LEDS/m


Illumination Data

Colour Temperature	4000K
Lumen Output	500lm/m
Light Efficiency	104,16lm/W
CRI	90
Illumination Diagram	

Packing Info

Box Length	24cm
Box Width	21,5cm
Box Height	2cm
Pcs/Carton	40
Barcode	5291889059219
HS Code	9405409989

Energy Label



Certification & Warranty

Warranty	3 Years
Wee Directive	Yes

switch to
one light!

one
LIGHT

