# $O_{\text{LIGHT}}$

### **Product** Datasheet

www.1-light.eu

#### 23 LED Drivers>The TRIAC Dimmable Constant Current



Constant current dimmable LED driver for 300/350mA LED spots / LED fittings.

Complies with standard EN61347-1 and any other specific standards.



89008UT

Downloads	Dimensions
Ô	97mm I 46mm 31mm
Physical Specification	

Family	The TRIAC Dimmable Constant Current
Order Code	89008UT
Material	Plastic
Shape	Rectangular
Length	97mm
Width	46mm

23 LED Drivers

Height	31mm
Indoor	Yes

**Electrical Characteristics** 

Item Group



#### Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	Refer to Table
Power Factor	0,9
Constant Current	Yes
300mA	12-22V
350mA	12-22V
IP Rating	IP20
Safety Class	
Dimmable	Yes
Dimmer type	Triac
Ambient Temp	50°C
Operating Temp	90°C
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud

#### Packing Info

Box Weight	0,083Kg
Pcs/Carton	90
Barcode	5291889068747
HS Code	8504408290



Warranty	2 Years
Weee Directive	Yes

## switch to one light!

Certification & Warranty



