

New 2021 Edition 2>LED Drivers

89050TLD



50W Triac, DALI, Push to DIM & 1-10V LED driver Adjustable output using DIP switches.


Complies with standard EN61347-1 and any other specific standards.




Downloads



Dimensions



Wiring Diagram



Physical Specification

Item Group

New 2021 Edition 2

Family


LED Drivers

Order Code	89050TLD
Material	Plastic
Shape	Rectangular
Length	165mm
Width	83mm
Height	35mm
Indoor	Yes

Electrical Characteristics

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	Refer to table
Power Factor	0.95
Constant Current	Yes
200mA	8-48V
250mA	8-48V
300mA	8-48V
350mA	8-48V
400mA	8-48V
450mA	8-48V
500mA	8-48V
600mA	8-48V
700mA	8-48V
900mA	8-48V
1000mA	8-48V
1050mA	8-47V
1200mA	8-41V

1400mA	8-35V
1500mA	8-33V
Output	180mA
Voltage Range	8-48V
IP Rating	IP20
Safety Class	
Dimmable	Yes
Dimmer type	Triac, Dali, Push to Dim, 1-10V
Ambient Temp	-20~+45°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Cable
Fast Connector	Yes
Fast Connector Type	Other
Brand	One Light Ltd
Protection	Short Circuit / Overload / Overheat Protection

Packing Info

Box Length	17,7cm
Box Width	8,8cm
Box Height	4cm
Pcs/Carton	36
Barcode	5291889070184
HS Code	8504408290

Warranty

5 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

